

MANTRA

MS20

INTELLIGENT CLOUD READER




Strong Scalability | Easy to Use | Ultra-fast Recognition | HD Speaker Audio | Fast Payment

www.mantratec.com



MAKE IN INDIA



Mantra Softech, an Indian technology company, has unveiled its innovative Payment Sound Box.

With the Payment Sound Box, customers are immediately notified when their payment is accepted or declined, which can help reduce the time spent waiting in lines and increase overall customer satisfaction by bringing transparency.

By leveraging the power of QR code-based payment technology, the payment sound box has the potential to revolutionize the way businesses and customers interact during the payment process.

Features

-  Integrated user friendly design
-  LED indication for Network and Battery
-  Over The Air (OTA) firmware updates for DFOTA & Music Files
-  Time Sync from NTP.
-  Instant Sound Notification for payment transaction, Battery, Device and Network.
-  7-Segment display feature to show received amount (Optional)
-  Loud 85db sound output for clear communication

Smart Applications

- 
Restaurant
- 
Scenic Spot Entrance
- 
Convenience Store
- 
Toll station
- 
Parking lot
- 
Supermarket

SOUNDBOX FOR INSTANT AUDIO PAYMENT CONFIRMATION

Small and portable speaker for your daily payment alerts on every payment you receive through any QR Code or UPI app



Specification



CPU

ARM® Dual-core Cortex-A5, 500MHz



SIM Card Slot

1x Micro Sim Card



Communication

2G (EGSM900/DCS1800)

4G (LTE-FDD:B1/B3/B5/B8 & LTE-TDD:B34/B38
/B39/B40/B41)

Wi-Fi 2.4GHz (Optional)



Button

1x Power key, 1x Reset key, 2x Volume Up &
Down key, 1x Function Key



Power Supply

DC 5V / 1A



Dimensions

Device Dimensions (L x W x H) : 112 x 100 x 73 mm



Battery Capacity

2000mAh Li-ion Rechargeable Battery



Compliant to Following Standard

Electrical Safety: BIS

EMI / EMC Compliance :CE, WPC

ESD protection Contact Discharge : +/- 8kV, Air Discharge: +/- 15kV

Environmental, Health and Safety: RoHS



Memory

RAM: 16MB & FLASH: 24MB



Display

7 Segment LED Display (6 - Digit)



LED Indication

1x Battery status, 1x Network Connectivity



OTA

DFOTA and Music file Update Over The Air



Speaker

4 Ohm 3W (Adjustable Volume)



Peripheral Ports

1x Powered USB TYPE-C



Weight

Device WeightApprox : 0.28 Kg



Environmental

Operating Temperature: 0°C to +50°C

Storage Temperature:-10°C to +70°C

Humidity (Operating / Storage) : 5% - 95%
RH, Non-condensing

MANTRA



✉ sales@mantratec.com 🌐 www.mantratec.com

Copyrights Mantra Softech (India) Pvt Ltd. All Rights Reserved.